

L Number	Hits	Search Text	DB	Time stamp
1	1300	(250/515.1,517.1,526,200).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:30
2	5993	(shield\$3 or protect\$4) near4 (gamma or xray or x-ray)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:31
3	31	((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:32
5	7	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:33
6	1	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (controller or microcontroller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:34
8	4	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (control\$4 or microcontroller)) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:01
7	7	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (control\$4 or microcontroller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:36
4	10	((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:37
9	0	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (control\$4 or microcontroller)) and ((250/515.1,517.1,526,200).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:01
10	0	((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and ((250/515.1,517.1,526,200).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:02

L Number	Hits	Search Text	DB	Time stamp
1	1300	(250/515.1,517.1,526,200).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:30
2	5993	(shield\$3 or protect\$4) near4 (gamma or xray or x-ray)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:04
3	31	((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:08
5	7	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:06
6	1	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (controller or microcontroller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 08:34
8	4	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (control\$4 or microcontroller)) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:07
7	7	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (control\$4 or microcontroller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:07
4	10	((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:06
9	0	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and metal\$5) and (control\$4 or microcontroller)) and ((250/515.1,517.1,526,200).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:01
10	0	((shield\$3 or protect\$4) near4 (gamma or xray or x-ray)) and circuit\$3 and (flex\$5 near3 circuit\$3)) and (baffle or cord or cable)) and ((250/515.1,517.1,526,200).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:02
11	14656	(shield\$3 or protect\$4) near4 (gamma or xray or x-ray or X)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:05
12	6182	(shield\$3 or protect\$4) near4 (gamma or xray or x-ray or (X near4 radiation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:10
13	2643	((shield\$3 or protect\$4) near4 (gamma or xray or x-ray or (X near4 radiation))) and metal\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:06

14	476	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray or (X near4 radiation))) and metal\$5) and (baffle or cord or cable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:06
15	370	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray or (X near4 radiation))) and metal\$5) and (baffle or cord or cable)) and (control\$4 or microcontroller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:07
16	227	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray or (X near4 radiation))) and metal\$5) and (baffle or cord or cable)) and (control\$4 or microcontroller)) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:07
17	4	(((((shield\$3 or protect\$4) near4 (gamma or xray or x-ray or (X near4 radiation))) and metal\$5) and (baffle or cord or cable)) and (control\$4 or microcontroller)) and heat\$4) and circuit\$3 and (flex\$5 near3 circuit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:09
18	867	design\$5 near4 (electric\$5 adj system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:10
19	0	(design\$5 near4 (electric\$5 adj system)) and ((shield\$3 or protect\$4) near4 (gamma or xray or x-ray or (X near4 radiation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:11
20	13	(design\$5 near4 (electric\$5 adj system)) and (gamma or xray or x-ray or (X near4 radiation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:12
21	12	((design\$5 near4 (electric\$5 adj system)) and (gamma or xray or x-ray or (X near4 radiation))) and (number\$3 or enumerat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:13
22	6	((design\$5 near4 (electric\$5 adj system)) and (gamma or xray or x-ray or (X near4 radiation))) and ((number\$3 or enumerat\$5) with function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:13
23	0	((design\$5 near4 (electric\$5 adj system)) and (gamma or xray or x-ray or (X near4 radiation))) and ((number\$3 or enumerat\$5) with function)) and (determin\$5 with component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:14
24	0	((design\$5 near4 (electric\$5 adj system)) and (gamma or xray or x-ray or (X near4 radiation))) and ((number\$3 or enumerat\$5) with function)) and ((determin\$5 or calculat\$5) with volume)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:16
25	0	((design\$5 near4 (electric\$5 adj system)) and (gamma or xray or x-ray or (X near4 radiation))) and ((number\$3 or enumerat\$5) with function)) and (select\$5 with component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:17

L Number	Hits	Search Text	DB	Time stamp
1	419	(electron\$4 near system) and shield\$3 and ((x or xray or x-ray or gamma) with (irradiat\$5 or radiat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:16
2	22	((electron\$4 near system) and shield\$3 and ((x or xray or x-ray or gamma) with (irradiat\$5 or radiat\$4))) and (metal\$5 near4 shield\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 09:53
3	1	((electron\$4 near system) and shield\$3 and ((x or xray or x-ray or gamma) with (irradiat\$5 or radiat\$4))) and (metal\$5 near4 shield\$3) and ((shield or protect\$5) with (electric\$4 near4 (component or part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:01
4	7	((electron\$4 near system) and shield\$3 and ((x or xray or x-ray or gamma) with (irradiat\$5 or radiat\$4))) and (metal\$5 near4 shield\$3) and ((shield or protect\$5) with ((component or circuit\$3 or part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:02
5	277	(electron\$4 near system) and shield\$3 and ((x or xray or x-ray or gamma) near (irradiat\$5 or radiat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:05
6	2	((electron\$4 near system) and shield\$3 and ((x or xray or x-ray or gamma) near (irradiat\$5 or radiat\$4))) and (FPC or (flex\$5 near print\$3 near circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:09
7	740	(electron\$4 near system) and shield\$3 and ((x adj radiation) or xray or x-ray or gamma)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:09
8	7	((electron\$4 near system) and shield\$3 and ((x adj radiation) or xray or x-ray or gamma)) and (FPC or (flex\$5 near print\$3 near circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:12
9	16299	(FPC or (flex\$5 near print\$3 near circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:12
10	4846	((FPC or (flex\$5 near print\$3 near circuit))) and (shield\$3 or protect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:12
11	472	((FPC or (flex\$5 near print\$3 near circuit))) and (shield\$3 or protect\$5)) and ((x adj radiation) or xray or x-ray or gamma)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:17
12	2	((FPC or (flex\$5 near print\$3 near circuit))) and (shield\$3 or protect\$5)) and ((x adj radiation) or xray or x-ray or gamma)) and baffle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:14
13	6	(electron\$4 near component) with (radiation near damag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/14 10:17

14	3	((electron\$4 near component) with (radiation near damag\$3)) and ((x adj radiation) or xray or x-ray or gamma)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/14 10:17
----	---	---	---	---------------------